____KN95____







Ear strap



- 1. Hold the ear straps with both hands with the nose clip upward;
- 2. Position the mask against the chin, covering mouth and nose;
- 3. Put both ear straps behind the ear and adjust them for best comfort;
- Put fingers of both hands on the middle of the nose clip, press it inwards while moving finger tips down until the nose clip fits the contour of nose bridge.
 - Pressing with one hand may influence the air tightness of the mask.

Headband



- 1. Position the mask against the chin, covering mouth and nose with the nose clip upward;
- 2. Pull the upper head strap over the head and position it above ears;
- Pull the lower head strap over the head and position it below ears; Adjust both head straps for best comfort;
- Put fingers of both hands on the middle of the nose clip, press it inwards while moving finger tips down until the nose clip fits the contour of nose bridge.
 - Pressing with one hand may influence the air tightness of the mask.















Time left until promotion ends: 7d 0h 0m Shop Now ▶





WHY CHOOSE US?








ours

others





||||||Lotus|||





EXHIBITION

EXHIBITION

OEM PROCESS



(02 E **03**

04

05

artwork from

make the quotation

make the sample for you confirmed place the order

mass production inspection packing shipment

PRODUCTION PROCEDURES



1. EDGE STITCH



2. CUT FABRIC



3. SEWING



4. TIP ASSEMBLY



5. SEW UP



6. QUALITY CHECK

BUSINESS PROCESS







10000000000000000

T / T___30__B / L___50

	П	П	П	П	П	П	П	П
Ш	Ш	Ш	Ш	Ш	Ш	Ш	Ш	Ш

ETD[][][][25-35[]

I.DDDDDDDDDDDDDDDDDDDDDDDDDDDDAQL 2.5 // 4.0D