



Seller Discount

On all products

Time left until promotion ends: 7d 0h 0m

[Shop Now](#) ▶



All details, please check it as coupon.



► Injection technics guarantee the durability of the umbrella bead

◀ Non-slip handle provides better grip feeling and reduce wrist fatigue

▼ Fiberglass shaft makes it lightweight and not easy to bend

◀ Eight ribs construction protects you well against the rains and the winds



AUTOMATIC OPEN


**Simply press the button on the handle to open
by one hand.**



Fits most of umbrella holders

Double Canopy Construction

A vent where wind can pass through making the umbrella much easier to handle in harsh conditions.





WHY CHOOSE US?



5000
FR

★★★★★

Ships From: China Logistics: TNT

I really like this umbrella. It is sturdy, it can be opened or closed with just a press. And more importantly, almost instant dry by just shaking.

24 Dec 2018 02:24

Καταχωρήστε
ΕΛΛΑΣ ES

★★★★★

Color: Black | Ships From: China | Logistics: TNT

One the metals/ribs broke after one day of use, with just light rain no wind. Very disappointing!


24 Dec 2018 02:24



ours



others



4 of 4

Lotus Umbrella

Umberlla Amberla 19

OEM PROCESS



01
artwork from
customer

02
make the
quotation

03
make the sample
for you confirmed
place the order

04
mass production
inspection packing

05
shipment

PRODUCTION PROCEDURES




1. EDGE STITCH



2. CUT FABRIC



3. SEWING



4. TIP ASSEMBLY



5. SEW UP



6. QUALITY CHECK

BUSINESS PROCESS

LOTUS UMBRELLA GROW UP WITH YOU



2016
Company History

2015
Company History

2014
Company History

2012
Company History

2010
Company History



2008
Company History



EXHIBITION



EXHIBITION

□□□□



□□□□



24 hours on line.

Free design service

Umbrella sample room

We focus on manufacture umbrella for 19 years, we can do it better, fast.
Customized with low MOQ, Free sample, Free design, Shipping fast, Quick response

Page 10 of 10

1.

19

2.

5

Page 10 of 10

T / T 30 70

10/10/2019

ETD 25-35

5. □□□□□□□□□□

[illegible]

B.

iii AQL