


CE FDA





3 Layers

Skin-friendly composite fiber

High density filter layer

Non-woven fabric



How to wear a mask correctly ?



Distinguish the front and back of the mask and up and down, then wash your hands

Note: The part with the metal strip should be above the mask



After wearing the mask , squeeze the metal strips on both sides of the bridge of the nose.



Then stretch the mask down to cover the nose and mouth so that the mask does not leave wrinkles.



Magic nose bar

Adjust the face fit to ensure the protection effect.



Elastic elastic belt

Loose design, Comfortable to wear



Folding design

Three fold, large space comfortable



Three layer filter design

Use non-woven fabric, melt blown cloth and other filter materials.

WHY CHOOSE US?



S***
FR

★★★★★

Ships From: China Logistics: TNT

I really like this umbrella. It is sturdy, it can be opened or closed with just a press.
And more importantly, almost instant dry by just shaking.

24 Dec 2018 02:24


K***
ES

★★★★★

Color: Black Ships From: China Logistics: TNT

One the metals/ribs broke after one day of use, with just light rain
no wind. Very disappointing!

24 Dec 2018 02:24



ours



others



OEM PROCESS



artwork from
customer



make the
quotation



make the sample
for you confirmed
place the order



mass production
inspection packing



shipment

PRODUCTION PROCEDURES




1. EDGE STITCH



2. CUT FABRIC



3. SEWING



4. TIP ASSEMBLY



5. SEW UP



6. QUALITY CHECK

BUSINESS PROCESS

LOTUS UMBRELLA GROW UP WITH YOU



2016
Company History

2015
Company History

2014
Company History

2012
Company History

2010
Company History



2008
Company History



EXHIBITION



EXHIBITION

□□□□



□□□□





We focus on manufacture umbrella for 19 years, we can do it better, fast.
Customized with low MOQ, Free sample, Free design, Shipping fast, Quick response

Page 10 of 10

1.

19

2. □□□□□□□□□□□□□□

5

Page 10 of 10

T / T₃₀ B / L 70

1000000

ETD□□□□□25-35□□

5.

I. AQL 2.5 // 4.0

B.

ii AQL