



Seller Discount

On all products

Time left until promotion ends: 7d 0h 0m

[Shop Now](#) ▶



All details, please check it as coupon.







Fiberglass Shaft

More Lightweight than iron shaft,
rustless and not easy to bend.



Highly water repellent 190T Pongee
fabric, add anti-UV silver coating,
but also withstand sun, rain and other
natural climate test.



Strong Umbrella Bead

Injection technics, molding in
one, not easy to deformation
and take off the line.





The Engineering ABS Handle

Add rubber coating, More durable, and provides a better grip feeling and reduce wrist fatigue.

WHY CHOOSE US?



5000
FR

★★★★★

Ships From: China Logistics: TNT

I really like this umbrella. It is sturdy, it can be opened or closed with just a press. And more importantly, almost instant dry by just shaking.

24 Dec 2018 02:24


Καταργήστε
ΕΣ

★★★★★

Color: Black | Ships From: China | Logistics: TNT

One the metals/ribs broke after one day of use, with just light rain no wind. Very disappointing!

24 Dec 2018 02:24



ours



others



4444

Lotus Umbrella

Shaoxing Lotus Umberlla Co.,Ltd. Amberla 19

[illegible]

OEM PROCESS



artwork from
customer

make the
quotation

make the sample
for you confirmed
place the order

mass production
inspection packing

shipment

PRODUCTION PROCEDURES




1. EDGE STITCH



2. CUT FABRIC



3. SEWING



4. TIP ASSEMBLY



5. SEW UP



6. QUALITY CHECK

BUSINESS PROCESS

LOTUS UMBRELLA GROW UP WITH YOU



2016
Company History

2015
Company History

2014
Company History

2012
Company History

2010
Company History



2008
Company History



EXHIBITION



EXHIBITION

□□□□□□



□□□□□□



24 hours on line.

Free design service

Umbrella sample room

We focus on manufacture umbrella for 19 years, we can do it better, fast.
Customized with low MOQ, Free sample, Free design, Shipping fast, Quick response

Page 10 of 10

1.

19

2.

5

□ □ □ □ □ □ □ □ □ □

T / T 30 B / L 70

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □

ETD□□□□□25-35□□□

5. □□□□□□□□□□□□□□□□

I. AQL 2.5 // 4.0

B. _____

iii AQL