



# Seller Discount

On all products

Time left until promotion ends: 7d 0h 0m

[Shop Now](#) ▶



All details, please check it as coupon.

- 000 00 0 00 00 00 000 000
- 00-00 : 32 °C ~ 42.9 °C, 85.9 °F ~ 109.2 °F
- 00 : 0 °C ~ 100 °C, 32 °F ~ 212 °F
- 000-00 : ± 0.2 °C / ± 0.4 °F
- 00 : ± 1.0 °C / ± 1.8 °F
- 000 : 0.1 °C / °F
- 00 00 : 10 °C ~ 35 °C (50 °F ~ 95 °F) RH≤85 %
- 00 00 : -20 °C ~ 55 °C (-4 °F ~ 131 °F) RH≤93 %
- 00 00 00 : D.C. 3V 2pcs AAA 000
- 00 00 000 : 000 000 00000 (<2.5V)
- 0000 : 32 00 000 00 00
- 000000 : LCD 0000 000000
- 00 00 : 00 00 00
- 00 00 : 18 0
- 00 00 : 0.5 0

A cold fever early know A second temperature measurement Care for the baby

## Non-contact infrared forehead thermometer

**Fast Accurate**

*Rapid temperature Care for the baby*



## Can measure the human body, object, indoor temperature

MORE THAN JUST MEASURING TEMPERATURE



**Water temperature**



**Milk temperature**



**Food temperature**



**Room temperature**

/

# Mercury unexpected harm you

It is very important to choose a good thermometer



**The disadvantage of mercury**

# Measurement accuracy

ACCURATE MEASUREMENT IS THE STANDARD

## Baby thermometer features:

**Screen:** The large screen reading

**Fast:** 1 second rapid temperature

**Security:** Avoid cross infection

**Accurate:** Precise measurement

**Backlight:** Three color backlighting at night





# Three color backlighting

Child/adult body temperature gun

Normal body temperature  
32.0°C~37.5°C

Slight fever  
37.6°C~38.5°C

High body temperature  
38.6°C~42.9°C



# Product features

THE PRODUCT FEATURES



01

**Rapid measurement**

**Accurate error-free**

**A second rapid temperature measurement  
Infrared temperature measurement sensors**



**No need contact**

02

# Chip accurate

Automatic measurement. Accurate measurement





03

## Non-contact measurement

Don't need to contact, clean and health, avoid cross infection and fast measurement to solve the problem baby love moving



04

## Human body engineering

Human body engineering design,  
strengthen his hand grip handle experience,  
and be convenient to measure



# Three color optional

THREE COLOR OPTIONAL



# Product parameters

## PRODUCT PARAMETERS



Range	Body	32°C~42.9°C,85.9°F~109.2°F
	Object	0°C~100°C,32°F~212°F
Accuracy	Body	±0.2°C/±0.4°F
	Object	±1.0°C/±1.8°F
Resolution	0.1°C/°F	
Working condition	10°C~35°C (50°F~95°F) RH≤85%	
Storage condition	-20°C~55°C (-4°F~131°F) RH≤93%	
Power supply	D.C. 3V 2pcs AAA Batteries	
Power level indicator	Indication for low power level (<2.5V)	
Memory	Automatic recall of 32 memories	
Display	LCD back-lit display	
Reading scale	Celsius or Fahrenheit	
Automatic shut off	In 18 seconds	
Measuring time	0.5 seconds	

# Product analysis

PRODUCT ANALYSIS



## Product analysis



### Accurate probe

Accurate temperature measuring probe. Measurement accuracy. Little error



### Backlit display

Backlit design, temperature can also clearly see in the night for baby, and grandma and grandpa can see without glasses.



### PP material

Environmental protection PP material lets you use the product is safe and assured.



### One-click button

One-click boot measurement button





# Infrared forehead temperature gun

Care for your family





□□□□ □□

**1. □□□□ □□ □□ □□□□□?**

□□, □□□□ 19 □ □□□ □□□□ □□ □□ □□ □□□□□.

**2. □□ □□□□ □□ □ □ □□□□? □□□□ □□**

□□ □□ □ □□ □□□□□ □□□□ □ □□□ □□ □□□□ □□□□. □□ □□ □ □□□ □□□□□. 5 □ □□□ □□□□ □□ □ □□□□.

**□□ □□□□ □□□□□?**

T / T : 30 % □□, □□ □□ □□□□ 70 % □□

**□□□□□□ □□□□ □□□□□?**

ETD : □□ □□ □ 25-35 □ □□□□

**5. □□□□ □□□□ □□□□ □□ □ □ □□□□?**

I. □ □□□ □□□□ □□ □□□□ □□ □□□□ □□□□□. □□□□□□ AQL 2.5 // 4.0 □□

B. □□□□ □□ □□ □□ □□□□ □□□□□. □□□□ □□ □□□□ □□□□□ □□□□ □□ □□□□□.

III. □□□□ □□□□ □□□□ AQL□ □□□□ □□□□ □□□□ □□□□ □□□□□.



**LOTUS UMBRELLA**

☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐

☐☐ / ☐☐ 0086 13335917698

☐☐ ☐☐

☐☐☐ ☐☐☐☐ ☐☐ ☐☐ ☐☐☐☐☐☐☐☐☐☐