



Seller Discount

On all products

Time left until promotion ends: 7d 0h 0m

[Shop Now](#) ▶



All details, please check it as coupon.



BLUE



Sturdy Connection



Water Repellent




UV Protection



Fiberglass Ribs



Inverted / Reverse VS Traditional



Dripping On Ground



Trousers Get Wet



Get Wet When Aboard

Open · Close In The Inverted / Reverse Way, Stay Dry Easily





WHY CHOOSE US?



★★★★★
FR

★★★★★

Ships From: China Logistics: TNT

I really like this umbrella. It is sturdy, it can be opened or closed with just a press. And more importantly, almost instant dry by just shaking.

24 Dec 2018 02:24

★★★★★
ES

★★★★★

Color: Black Ships From: China Logistics: TNT

One the metals/ribs broke after one day of use, with just light rain no wind. Very disappointing!


24 Dec 2018 02:24



ours



others



00 00

Lotus Umbrella 00 00 :

00 00 000 Umberlla 00 000 000 000 umberllas 00 00, China.We 00000 0 19 0 00, 000 000
cllients 00 0 000 000 devlivering 0 000 00 000 000 00 0 00, 000 00 0 000 00, 0 00,

Straight 00, 00, 00 00, 00 00, 00 00, 00 00 0000 00 00. 0000 00 00 0000 0, 0000 0000 0000 00 000000. 0000.

OEM PROCESS

01



artwork from
customer

02



make the
quotation

03



make the sample
for you confirmed
place the order

04



mass production
inspection packing

05



shipment

PRODUCTION PROCEDURES




1. EDGE STITCH




2. CUT FABRIC



3. SEWING



4. TIP ASSEMBLY



5. SEW UP



6. QUALITY CHECK

BUSINESS PROCESS

LOTUS UMBRELLA GROW UP WITH YOU



2016
Company History

2015
Company History

2014
Company History

2012
Company History

2010
Company History



2008
Company History



EXHIBITION



EXHIBITION

□□ & □□



□□□ □□□



24 hours on line.

We focus on manufacture umbrella for 19 years, we can do it better, fast.
Customized with low MOQ, Free sample, Free design, Shipping fast, Quick response

11/11/11

1. □□□ □□ □□ □□ □□□□?

00, 000 19 0 000 000 00 00 00 00000.

2. □□ □□□ □□ □ □□□□? □□ □□?

00 0000 00 0000 00 0000 00 00 0000 000000. 00 00 0 000000. 0000 5 0 0000 000000.

3. 如何 如何 如何 如何?

T / T : □□□□ 30 % , B / L □□ □□ 70 % □ □□.

4. □□ □□□ □□□ □□□□?

ETD : 25-35 mm.

5. □□□□ □□□ □□□ □□□□□?

I. 000 000 000000 0 0000 00000 000 00 00 00000 0000. 000000 0000 00 AQL2.5 // 4.0 000000.

II. 0000 0000 00 000000 00 0 0 0000 00 00 0000 0000. 0 00 00, 0000 00 0 0 0000 QC 00.

III. □□□ □□□ □□ □ □ □ □ QC □ □□ AQL □ □□□ □□ □□□□ □□□□ □□□□.

333

☐ ☐☐ ☐☐☐ ☐☐ ☐☐ ☐☐

1111

Mob./Wechat 0086 13335917698