



## Seller Discount

On all products

Time left until promotion ends: 7d 0h 0m

[Shop Now](#) ▶



All details, please check it as coupon.





## Anti-shake tripod

Umbrella Migrating Stabilization Tripod  
Make the shooting more clear

Phone clip and handle  
Built-in silicone anti-slip mat

## Functional details

Dedicated to quality highlight fashion

Locking knob  
Fixed selfie angle

Photo switch

ABS rigid umbrella cover  
Safety protection  
waterproof storage

Silicone positioning parts

PC telescopic pole

Stretching distance  
55-80MM

Silicone positioning parts

## Free stretch

Stretch more freely    Make a wider picture  
Stable and durable



# WHY CHOOSE US?



★★★★★  
FR

★★★★★

Ships From: China Logistics: TNT

I really like this umbrella. It is sturdy, it can be opened or closed with just a press. And more importantly, almost instant dry by just shaking.

24 Dec 2018 02:24

★★★★★  
ES

★★★★★

Color: Black Ships From: China Logistics: TNT

One the metals/ribs broke after one day of use, with just light rain no wind. Very disappointing!

24 Dec 2018 02:24



ours



others



XXXXXXXXXXXXXXXXXXXX

XXXXXXXXXXXXXXXXXXXX **Lotus Umbrella:**

**Shaoxing XXXXXX Umberlla Co. , Ltd** XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX **Amberla** XXXXXXXXXXXXXXX

XXXXXXXXXXXXXXXXXXXX XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX **19** XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

本行在 2019 年 12 月 31 日及 2020 年 3 月 31 日之資產負債表及損益表，均經本行審計委員會審計，並由本行董事會決議通過，且經本行會計師查核，並出具查核報告，其內容如下：

# OEM PROCESS



artwork from  
customer



make the  
quotation



make the sample  
for you confirmed  
place the order



mass production  
inspection packing



shipment

## PRODUCTION PROCEDURES



1. EDGE STITCH



2. CUT FABRIC



3. SEWING



4. TIP ASSEMBLY



5. SEW UP



6. QUALITY CHECK

# BUSINESS PROCESS

LOTUS UMBRELLA GROW UP WITH YOU



2016  
Company History

2015  
Company History

2014  
Company History

2012  
Company History

2010  
Company History



2008  
Company History



EXHIBITION



EXHIBITION

XXXXXXXXXXXXXXXXXXXX



XXXXXXXXXX

