

□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□	HH-S264
□□□□	25□□□□ * 8 □□□□□□□□
□□□	polyster / Pongee / □□□□□ / □□□□□□□□
□□□□	□□□□□ / □□□□□□□□□□□□□□□□□□□ / □□□□□□□□□□□ / □□□□□ / □□□
□□□□□□□□	□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
□□□□□□□□□	□□□□□□□□□□□□□□□□□□□□□□□
□□□□□□□□□	1pcs / Opp
□□□□□□□	□□□
□□□□□□□□□	□□□□□□□□□, □□□□□□□□□□□□□□□□□□□□□□□□□□□, □□□□□□□□□□□□□□□
□□□□□□□□□□□□□□□	Super-windproof, Super-□□□□□□□□
MOQ	2000pcs
□□□□□□□□□□□□□	3-7 □□□
□□□□□□□□□□□	30 □□□□□□□□□□□□□□□□□□□□□□□

PRODUCT PARAMETER



PRODUCT CONTENT

BOTH SUNNY AND RAINY DAY

SMALL AND LIGHT
230g
200g

[illegible] [illegible]

Shaoxing [illegible] [illegible] [illegible] [illegible], [illegible] [illegible] [illegible] 15 [illegible] [illegible] OEM [illegible] [illegible] [illegible] [illegible] REACH [illegible] [illegible] [illegible] [illegible] [illegible]

□□□□□□□□□□ OEM


OEM PROCESS
01
02
03
04
05
artwork from customer
make the quotation
make the sample for you confirmed place the order
mass production inspection packing
shipment
PRODUCTION PROCEDURES
1. EDGE STITCH
2. CUT FABRIC
3. SEWING
4. TIP ASSEMBLY
5. SEW UP
6. QUALITY CHECK

[illegible] QC [illegible]

[illegible]

[illegible]

1. [illegible]?

Lotus umbrella [illegible], [illegible] 19 [illegible]

2. [illegible]? [illegible] ?

[illegible] 5 [illegible]

3. [illegible]?

T / T: [illegible] 30%, 70% [illegible] B / L

4. [illegible]?

ETD: [illegible] 25-35 [illegible]

5. [illegible]?

I. [illegible] [illegible] AQL2.5 // 4.0 [illegible]

[illegible] [illegible] [illegible] QC [illegible]

III [illegible] QC [illegible] AQL [illegible]